

Snap-on®

COMMERCIAL VEHICLE TOOLS & EQUIPMENT



Snap-on & Blue-Point are trademarks of Snap-on Incorporated

S = Snap-on BP = Blue-Point W = Williams IR = Irimo

Snap-on Heavy Commercial Vehicle Leaflet - Volume 12

KEY: CAT1600 page # IRIMO page # CATSOBP page #

HCV






MOD.501SR43F Files, Punches & Utility Set 23pc
Part # Description
 PPC103A,105A,106A Pin Punch 2.4, 4 & 4.7mm x 3
 PPC203A,205A,206A Starter Punch 2.4, 4 & 4.7mm x 3
 PPC812B,816B,820B Flat Chisel 9.5, 12.7 & 16mm x 3
 PPC1A,PPC4A Chisel Gauge, Center Punch
 SGF4R,6T Files - Round 100mm & 3Sq 150mm
 SGF8HR,10MA Files - H/Rd 200mm & Mill 250mm
 YA879B,YA339A Automatic Center Punch, Scribe
 PHT5,TFM7530B Pick-up Tool, Thread File Restorer
 SGASA204CR Mini Pick Set 4pc



MOD.506SR43F Spanner Set 26pc
Part # / Description
 IR25-06-2-36-2 Satin 6-32 (excl 28&31mm) & 36mm x 26
MOD.505SR43F Spanner Set 19pc
Part # / Description
 IR25A-08-2-48-1 Satin 1/4" - 1-1/2" x 19



MOD.502SR43F Spanners & Utility Set 13pc
Part # Description
 1650 Rolling Head Prybar 400mm
 1658C Pinch Bar 450mm
 AWTPH8 8pc Torx Set T9-40
 GAJ10A,18A Adj Spanner 250 & 450mm
 WIL13506 HDUty Pipe Wrench 350mm



MOD.509SR43F Hammer Set 6pc


MODs Layout



BOX 1
 MOD.501,MOD.506
 MOD.502,MOD.507
 MOD.505,MOD.509
 MOD.500



BOX 2
 MOD.503,MOD.510
 MOD.508,MOD.512
 MOD.504,MOD.511




MOD.507SR43F Pliers Set 7pc
Part # Description
 BDG57CP Combination 185mm
 BDG88CP Side Cutter 200mm
 BDG98CP Long Nose 200mm
 BSGLP10 Locking with Cutter 250mm
 BDGAWP100 Waterpump 250mm
 IR634-300-1 Waterpump 300mm
 PWC5TACF Wire Stripper/Cutter/Crimper 175mm



MOD.500SR43F Utility Set 7pc

Part # Description
 A91F Strap Wrench
 GLASS30BK Safety Glasses
Hammers
 BP16B Ball Peen 450g
 HBR4 Brass 1.8kg
 IR531-08-2 Club 1.5kg
 IR529621 Anti-Bounce Nylon 1kg



MOD.503SR43F 1/4" & 3/8" Socket and Accessories Set 78pc

Part # Description
1/4" Tools
 BPRTR936 Ratchet 150mm
 BLPUJ14 Universal Joint
 BLPTXK3,6 Extension 75 & 150mm
 BLPBB146 Breaker Bar 150mm
 BLPCGH146 Spinner Handle 150mm
 BLPSM144-1414 6pt Std Skts 4-14mm x 13
 BLPTMBS1414 Bit Holder & 10 Various Bits
 BLPT1420,1425 Torx Bit Skts T20 & T25
3/8" Tools
 BPRFR938,BLPUJ38 Ratchet 190mm, UnivJoint
 BLPEXTK383,6,10 Extension 75, 150 & 250mm
 BLPBB3810 Breaker Bar 250mm
 BLPSTH388 Sliding T-Handle 200mm
 BLPSM388-3819 6pt Std Skts 8-19mm x 12
 BLPS3814-3878 6pt Std Skts 1/4-7/8" x 11
 BLPPS381316,3858 Spark Plug Skts 13/16 & 5/8"
 BLPT3827TP-3850 Torx Bit Skts T27-T50 x 5
 BLPTE385-3816 External Torx Skts E5-E16 x 8

Colours : Black, Dark Green, Orange & Tan



MOD.510SR43F 1/2" Socket, Accessories & Screwdrivers Set 49pc

Part # Description
 BPRSR940 Ratchet 250mm
 BLPAFM1238,1234 Adaptor 1/2 x 3/8" & 1/2 x 3/4"
 BLPSM1210-1232 6pt Std Skts 10-32mm x 22
 BLPS1238-12114 6pt Std Skts 3/8"-1-1/4" x 15
 BSGD3,4,5 Flat 3 x 75, 5.5 x 125 & 6 x 150
 BSGD6,7 Flat 8 x 175 & 9.5 x 200
 BSGDP41,52 Phillips #1 x 100 & #2 x 125
 IR408-5.5-25 Stubby Flat 5.5 x 25
 IR409-2-25 Stubby Phillips #2 x 25



Water-Resistant
 Dustproof
 Shock-resistant



MOD.504SR43F Multimeter, Torque Wrench & Utility Set 6pc

Part # Description
 AC58E Wire Brush 340mm
 ECAR1032 Rechargeable Light
 EEDM503D Digital Multimeter
 IR070441 1/2 Torque Wrench 40-200Nm
 IRZH70613 Offset Prybar 460mm
 TPMBM5 Tape Measure 5Mtr




MOD.508SR43F 1/2" Tools, Spanners & Allen Key Set 37pc

Part # Description
 BLPUJ12,BLPBB1215 Universal Joint, Breaker Bar 375mm
 BLPEXTK123,6,10 Extensions 75, 150 & 250mm
 FBSM325 Straight Feeler Gauge 0.04-1mm
 IR48-9-H 9pc Ball Hex Allen Key Set 1.5-10mm
 IR48A-13-H 13pc Ball Hex Allen Key Set 0.05-3/8"
 PRH57A Int/Ext Circlip Pliers 220mm
 WIL10600-10604 Pipe Spanners 3/8-11/16" x 3
 WIL10650-10658 Pipe Spanners 9-21mm x 5



MOD.512SR43F 3/4" Socket Set 16pc

Part # Description
 IR135-70-1 Ratchet Head
 IR135-22-1 Extension 200mm
 IR135-24-1 Extension 400mm
 IR135-40-1 Universal Joint
 IR135-42-1 Sliding T-Handle 450mm
 IR135-46-1 Adaptor 3/4 x 1/2
 IR135-52-1 Breaker Bar 500mm
 IR131B-22-2 12pt Std Skts 22, 24, 27, 30, ~50-2
 32, 36, 41, 46 & 50mm x 9




MOD.511SR43F 1/2" & 3/4" Socket Set 39pc

Part # Description
 A36A Stud Extractor
 BLPH1210-1219 Hex Bit Skts 10-19mm x 5
 IR132A-28-1-64-1 12pt Std Skts 7/8" - 2" x 9
 WIL32710-32724 6pt Deep Skts 10-24mm x 15
 WIL4-612-630 6pt Std Impact Skts 3/8-15/16" x 9




Drawer 1




Drawer 2




Drawer 3



Drawer 4



Drawer 5



SET.EM18M2210-
SET.EM20C2210-

S Roll Cabinet - PVC Trims
Other Colour Options (Gloss Finish):
● Black ● Storm Grey
● Orange ● Arctic Silver

SET.EM18M2106-
SET.EM20C2106-

BP Roll Cabinet - PVC Trims
Other Colour Options (Textured Finish):
● Black ● Grey ● Red

Roll Cabinets - Custom Trim & Fronts

A4

Decal Selection Suffix: **S** = S **A** = A **F** = F



Hand Tools - Modular Sets

Sockets & Accessories ^{3/4"} Drive

384



S	MOD.384SH42D	3/4" Socket & Accessories Set 14pc
W	Part #	Description
3/4"	L62	Extension 200mm
MM	L122	Extension 400mm
12	L52B	T-Handle Head
D4	L872	Ratchet Head
	L872H	Locking Button Handle 490mm
	LDHM222-362	12pt Std Skts 22, 24, 27, 30 & 36mm
	WILHM-1232-1250	12pt Std Skts 32, 41, 46 & 50mm

Imperial Set 14pc:
MOD.385SH42D
 LDH282-642
 12pt Std Skts 7/8, 15/16, 1-1/16, 1-3/16, 1-1/4, 1-7/16, 1-5/8, 1-13/16 & 2" plus Accessories

132



BP	MOD.192SH42D	3/4" Socket & Accessories Set 14pc
3/4"	Part #	Description
MM	ETRE200A	Extension 200mm
6	ETRE400A	Extension 400mm
D4	ETRR570A	Ratchet Head
	ETRT450A	Sliding T-Handle 450mm
	ETRM22A-50A	6pt Std Skts 22, 24, 27, 30, 32, 36, 41, 46 & 50mm

ETRM713MBA
14pc Set in Metal Box
 (same components as in MOD.192)

IR139-21B-4

21pc Socket Set :
 2 x Extensions 200 & 400mm,
 T-Handle Head, Ratchet Head
 with 450mm Handle
 & 16 x 12pt Skts 19-50mm



133



IR	MOD.132BH45S	3/4" Ratchet & Extensions Set 7pc
-----------	---------------------	--

3/4"	Part #	Description	Part #	Description
D4	IR135-22-1	Extension 200mm	IR135-46-1	Adaptor 3/4 x 1/2
	IR135-24-1	Extension 400mm	IR135-52-1	Breaker Bar 500mm
	IR135-40-1	Universal Joint	IR135-70-1	Ratchet Head
	IR135-42-1	Sliding T-Handle 450mm		

IR	MOD.133BH45S16DH	3/4" Shallow Socket Set 16pc
-----------	-------------------------	-------------------------------------

3/4"	Part #	Description
MM	IR131B-19-2-50-2	12pt Std Skts 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46 and 50mm x 16

Add 3 x 6pt Skts 40, 55 and 60mm
 to complete set :



134



IR	MOD.134BH45S	3/4" Shallow Socket Set 19pc
-----------	---------------------	-------------------------------------


W	Part #	Description
3/4"	WILH-1224, 1238	12pt Std Skts 3/4" & 1-3/16"
12	IR132A-28-1-36-1	12pt Std Skts 7/8", 15/16", 1", 1-1/16" & 1-1/8" x 5
D4	IR132A-40-1-48-1	12pt Std Skts 1-1/4", 1-5/16", 1-3/8", 1-7/16" & 1-1/2" x 5
	WILH-1250	12pt Std Skt 1-9/16"
	IR132A-52-1, 54-1	12pt Std Skts 1-5/8" & 1-11/16"
	WILH-1256, 1258	12pt Std Skts 1-3/4" & 1-13/16"
	IR132A-60-1, 64-1	12pt Std Skts 1-7/8" & 2"

IR	MOD.135BH45S	3/4" Shallow Socket Set 19pc
-----------	---------------------	-------------------------------------

3/4"	Part #	Description
MM	IR131B-22-2-50-2	12pt Std Skts 22, 24, 27, 30, 32, 36, 41, 46 & 50mm x 9
12	IR132A-28-1-64-1	12pt Std Skts 7/8", 1", 1-1/8", 1-5/16", 1-7/16", 1-1/2", 1-11/16", 1-7/8" & 2" x 9



425IMM.905D



S	425IMM.905D	3/4" Shallow Impact Socket Set 25pc
----------	--------------------	--

3/4"	Part #	Description
MM	IMM172A-502	6pt Std Skts 17-36, 38, 40, 41, 42, 46 & 50mm x 25

Optional 20pc Set with Deep Sockets : 420SIMM.905D
 SIMM172-462
 6pt Deep Skts 17-27 (excl 18mm),
 30-33, 35, 36, 38, 41, 43 & 46mm x 20

S	423IM.905D	3/4" Shallow Impact Socket Set 23pc
----------	-------------------	--

3/4"	Part #	Description
12	IM182A-642A	6pt Std Skts 9/16" - 2" (excl 1-15/16") x 23

Optional 23pc Set with Deep Sockets : 423SIM.905D
 SIM182-642A
 6pt Std Skts 9/16" - 2" (excl 1-15/16") x 23

S	425IMMSC-WO	25pc Impact Skt Set in Metal Box
----------	--------------------	---

3/4"	Part #	Description
MM	IMR2	Socket Retainer
6	IM182R, IM182P	Rubber Locking Ring & Steel Locking Pin
	IMLA12	Adaptor 1/2" Int x 3/4" Ext
	IM132A, 62B	Extensions 75 & 175mm
	IP82	Swivel Ball Universal Joint
	KRA218APC	Black Metal Box
	IMM172A-IMM502	6pt Std Imp Skts 17,18,19,21,22,24,26,27, 30,32,34,35,36,38,40,41,46 & 50mm x 18



Imperial Option : 425IMSC-WO
 KRA218A Red Metal Box
 IM222A-IMM562 6pt Std Imp Skts 11/16 - 1-3/4" x

IR	IR173-01-5	8pc Impact Skt Set in Metal Box
-----------	-------------------	--

3/4"	Part #	Description
MM	IR173-24-2-38-2	6pt Std Skts 24, 27, 29, 30, 32, 34, 36 & 38mm x 8

3/4"	Accessories :
-------------	----------------------

S	GLAS1F	Adaptor 3/4" Int x 1/2" Ext
S	L8112A	Breaker Bar Head, use with L872RM or L872RJ
S	L872RM	Locking Button Knurled Handle 36" (900mm); use with L872H



516IMM.937



***516IMM.937D**
1" 1" Shallow Impact Skt Set 16pc
Part #
IMM273-803
Description
D4 6pt Std Impact Skts 27, 30, 32, 33, 35, 36, 38, 41, 46, 50, 55, 60, 65, 70, 75 & 80mm x 16

***516IM.936F**
1" 1" Shallow Impact Skt Set 20pc
Part #
IM663-IM1123
Description
D4 6pt Std Impact Skts 2-1/16" - 3-1/2" x 20

Optional 1" Impact Socket Sets
1" *521IM 6pt Std 3/4" - 2" x 21
***516IM** 6pt Std 2-1/16" - 3-1/2" x 20
***522IM** 6pt Std 3-5/8" - 5-3/4" x 22
***519SIM** 6pt Deep 7/8" - 2" x 19
***520SIM** 6pt Deep 2-1/16" - 3-1/2" x 20
***517SIM** 6pt Deep 3-5/8" - 5" x 17

B-9540MB 12pc Socket & Accessories Set in Metal Box

Part #
***B-9555** Sliding T-Handle 508mm
***B-9560AB** Extension 200mm
***B-9563AB** Extension 400mm
***B-9550AB** Round Ratchet Head
***B-5900SM-46-80** 6pt Std Skts 46, 50, 55, 60, 65, 70, 75 and 80mm x 8



IR177-10-5 7pc Impact Socket Set in Metal Box
IR177-24-2-38-2
6pt Std Skts 24, 27, 30, 32, 33, 36 & 38mm x 7

Range of 1" Impact Sockets available :
***IR177-22-2-80-2** 6pt Std 22 to 80mm
***IR178-22-2-60-2** 6pt Deep 22 to 60mm



L53HB
 Handle Locking Button for Ratchet, Breaker Bar or T-Handle Head 725mm

***L853HA1** 900mm Handle Extension

***L63**
 Locking Button Extension 200mm

L873
 Ratchet Head 30-Tooth

L53A
 T-Handle Head

L113
 Breaker Bar Head

Socket Accessories :

IMR3 Socket Retainer
IM243R Rubber Locking Ring (up to 35mm)
***IM483R** Rubber Locking Ring (from 35mm)
***IM243P** Steel Locking Pin (up to 35mm)
***IM483P** Steel Locking Pin (from 35mm)
GLA124A Adaptor 1" Ext x 3/4" Int
GLA72A Adaptor 3/4" Ext x 1" Int
***IP83** Swivel Universal Joint with Pin Hole

Extensions with Pin Hole

***IM133** 3" (75mm)
***IM63B** 7-1/8" (180mm)
***IM123** 13-1/8" (330mm)

1"

Snap-on

Slogging Spanners

Slogging Spanners consist of a thick end that is specifically designed to be used with a hammer to tighten fasteners to precise torque. They also deal to untighten fasteners that are stubborn or stuck, as they deliver a high level of force and vibration to the nut or bolt when you hit it with a hammer. While they have a low risk of injury, you still need to follow a few safety precautions when using them :

1 - Always use the right size spanner 2 - Never use a damaged spanner 3 - Consider using Finger Saver

***DX138A-1148A**
 12pt Heavy-Duty Flank Drive Straight Handle Slogging Spanners

295
 Range : 30-117mm
 1-3/16" - 4-5/8"

***HX340A-1360**
 12pt Heavy-Duty Flank Drive Offset Handle Slogging Spanners

1360
 Range : 27-108mm
 1-1/16" - 4-1/4"

***IR31-30-2-85-2**
 Open End Slogging Spanners

48
 Range : 30-85mm

***IR30-24-2-100-2**
 12pt Ring End Slogging Spanners

100
 Range : 24-100mm



Your Hands are your most Important Tools

***SSFS-C295** Compact 295mm (194g)
***SSFS-S375** Standard 375mm (230g)
***SSFS-L850** Long 850mm (680g)

Snap-on POW'RENCH® Manual Impact Wrench Bi-Directional

Operates without hydraulics, compressed air or other power sources; Roto-Sledge™ Power Impact Head Technology converts spring energy into powerful torsional blows, windup pulls convert to torque output. Lightweight and portable; Operates under water; Prevents impact "shock" transmission through the handle to the operator. Replaces burning, hacking and chiseling; Minimizes the need for operator strength and skill. Safer fastener-removal solution; Replaces breaker bars that can fail with the sudden release of a frozen fastener. For use with impact sockets with high torque tolerances.



***PHTPW50050**
***PHTPW50075**

***PHTPW80075**
***PHTPW2000100**



Part Number	Drive	Max Torque Output, ft-lb	Max Torque Output, Nm	Max Windup Pulls	Weight (kg)
*PHTPW50050	1/2"	500	675	39	2.7
*PHTPW50075	3/4"	500	675	39	2.7
*PHTPW80075	3/4"	800	1080	50	4.9
*PHTPW2000100	1"	2000	2700	75	10.4

1"
 Torque Multipliers



Pneumatic Torque Multipliers



Air Tools

1-1/2" 6pt Impact Sockets :


***IMM365-805**
***619IM** Std from 36 to 80mm
***616IM** Std 1-3/8" - 2-1/2" x 19
***618IM** Std 2-9/16" - 3-1/2" x 16
***609IM** Std 3-9/16" - 4-7/8" x 18
***609IM** Std 5" - 8" x 9
***SIM445-1525** Deep from 1-3/16" to 4-3/4"

2-1/2" 6pt Impact Skts :


***713IMM** Std 60-100mm x 13
***710IMM** Std 105-150mm x 10
***709IMM** Std 155-200mm x 9
***716IM** Std 2" - 3-1/2" x 16
***713IM** Std 3-5/8" - 5" x 13
***714IM** Std 5-1/8" - 6-5/8" x 14
***711IM** Std 6-3/4" - 8" x 11




Drawer 1




Drawer 2




Drawer 3



Drawer 4



Drawer 5



Drawer 6 (2/3 Full)



Benefits of Foam Tool Control

- Increased Productivity**
The right tool found quickly
- Visual Tool Control (Colour Contrast)**
Tool check done in seconds
- Accountability**
Missing tools identified easily, item code printed on foam
- Reduced Tool Loss**
Tools not left in vehicles / machinery
- Avoid Foreign Object Damage (FOD)**
Damage caused by tools to customer vehicles/machinery



- Professional Presentation**
Well laid out set creates a good impression of technician & company
- Standardisation of Tool Kits**
Company standards maintained
- Customised Tool Control Solutions**
Tool control can be manufactured to customer specific requirements
- Reduced Tool Damage**
Tool on tool contact avoided
- Non-abrasive Tool Holder**
Non-abrasive foam versus plastic / metal tool holders

Benefits of Personalised Laser Marking

- Traceability**
Tool control and accountability
- Personalisation**
Identify company, department, technician
- Warranty**
Laser marking is non-marring & does not affect warranty policy



Hand Tools

TechAngle Series



	(F) - Flex Head	N-m	in-lb	ft-lb
1/2"	ATECH3FR250B (F)	16.9-339	150-3000	12.5-250
1/2"	ATECH3FR300B (F)	20-406	180-3600	15-300
3/4"	ATECH4RS600	40.6-813	360-7200	30-600

Techwrench Series



	(F) - Flex Head	N-m	in-lb	ft-lb
3/8"	TECH2FR100 (F)	6.8-135	60-1200	5-100
1/2"	TECH3FR250 (F)	34-339	300-3000	25-250
3/4"	TECH4R600	81-813	720-7200	60-600

Click-Type Series IRIMO



	(FR) - Fixed Ratchet	N-m
1/2"	IR070441 (FR)	40-200
	IR070451 (FR)	65-335
3/4"	*IR070471 (FR)	150-800
	*IR070481 (FR)	300-1500

Adjustable Click-Type Series

Snap-on

1/2"

H11



	(FR) - Fixed Ratchet	N-m	ft-lb
1/2"	QD3RN200A (FR)	40-200	
1/2"	QD3RN350A (FR)	70-350	
1/2"	QD3R250A (FR)	67.8-33	50-250
3/4"	QD4RN800A (FR)	150-800	
3/4"	*QD4R600A (FR)	135-813	100-600
1"	QD5RN1500A (FR)	300-1500	
1"	*QD5R1000A (FR)	271-1355	200-1000

MTM Series Manual Torque Multipliers

	Input Drive	Output Drive	Torque Output Min-Max N-m	ft-lb	Torque Ratio	Reaction Type
*MTMB740	1/2"	3/4"	100-1000	74-740	5:1	Bar & Crank
MTMB950	1/2"	3/4"	130-1300	96-950	5:1	Bar & Crank
*MTMB2200	1/2"	1"	300-3000	220-2200	15.5:1	Bar
*MTMB3300	1/2"	1"	450-4500	330-3300	26:1	Bar
*MTMB1990	3/4"	1"	270-2700	200-1990	5:1	Bar & Crank



Snap-on

Bar & Crank Type



Bar Type

332



CTM Series Torque Multipliers



8 HCV



Hand Tools

Industry Specific

NEW
933



MOD.933SH45S Hook & Chain Set 5pc

H18

Part #	Description
AHS300C	Hook 3/4 - 2"
AHS301C	Hook 1-1/4 - 3"
AHS304C	Hook 2 - 4-3/4"
AHS307C	Hook 4-1/2 - 6-1/2"
CW15A	Chain 375mm

MOD.238SH45L Heavy Duty Circlip Set 2pc

H25

Part #	Description
PR7A	Internal 0° 3mm Tip 375mm
PR8A	External 0° 3mm Tip 375mm

NEW
235



MOD.235BH42D Pipe Wrench Set 4pc

H18

Part #	Description
PWZ2A	Pliers Wrench 425mm
WIL13502	Pipe Wrench 250mm
WIL13506	Pipe Wrench 350mm
WIL13508	Pipe Wrench 450mm

MOD.811SH42D Snap Ring Pliers Set 5pc

H25

Part #	Description
SRP1C	90° Jaws 220mm
SRP2B	90° Jaws w/Dimples 220mm
SRP3B	0° Tip Jaws 220mm
SRP5C	0° Non-Serrated Parallel Jaws
SRP4	90° Jaws w/Dimples 350mm

NEW
495



MOD.495SH19W Striking Prybar Set 5pc

H29

Part #	Description
SPBS8AR	200mm
SPBS12AR	300mm
SPBS18AR	450mm
SPBS24AR	600mm
SPBH30R	750mm

19W Insert suitable for Wide Drawers of Heritage Boxes



CTM Series 18V Cordless, Brushless Torque Multipliers

		Torque Output Min-Max		Max RPM	Tool W. Batt	Battery (Qty)	Charger (Qty)
		N-m	ft-lb				
*CTM550SSB	3/4"	75-745	55-550	12.5	3.9	2	1
*CTM800SSB	1"	108-1085	80-800	9.1	4.6	2	1
*CTM1000	1"	339-1355	250-1000	32	6.7	3	2
*CTM2000	1"	670-2700	500-2000	13	7.6	3	2
*CTM3000	1"	1016-4070	750-3000	9.5	9.1	3	2



18V MonsterLithium Cordless P3

3/4"

Impact Wrench
Torque/Breakaway
1,695 / 2,102
4.1Kg **B**

CT9175~

1/2"

Impact Wrench
Torque/Breakaway
370 / 712
41.9Kg **B**

CT9035~

1/2"

Impact Wrench
Torque/Breakaway
1,085 / 1,355
2.9Kg **B**

CT9050~

Slim Head Grinder
Safety Cutoff Switch
115mm; 8,000 rpm
2.8Kg **B**

CTGR8855A~

Handheld Inflator
Max PSI: 150
Max Airflow: 35 L/min
27" Hose; 1.6Kg **B**

CTINF9010~

Grease Gun
411G Max Tube
3.6Kgs **B**

CGG8850A~

750 Lumen LED Swivel Light
CTL8850

Drill Hammer Action
13mm Capacity
2.3Kg **B**

CDR9050~

KEY: = Weight with Battery = Brushless

Kit Components

Suffix	Description	Tool	Charger CTCEU131A	Battery x1 CTB185	Battery x2	Tool Bag
~DB	Tool Only	●				
~U1-WO	Tool + Charger + 1x Battery	●	●	●		
~U2-WO	Tool + Charger + 2x Battery & Tool Bag	●	●		●	●



HIM250CTGDI50-WO Portable 18V Cordless Set

i) Angle Grinder Insert (Bottom)

Part #
CTGR8855ADB
CTB185
CTCEU131A
SIMM170,190,
210,300,330

Description
Grinder 115mm
Battery x1
Charger
Impact Sockets Deep 6pt
(17,19,21,30, & 33mm)

ii) Hammer Drill & Impact Insert (Top)

Part #
CDR9050DB
CT9050DB
CTB185

Description
Drill Hammer 13mm
Impact Gun
Battery x2



Power Tools Air P8



Type	Aluminium	Aluminium	Magnesium	Composite	Composite	Alu / Composite
Part Number	PT1800A / L	PT2500 / L	MG1250	PT850	PT350	AT570
Drive Size	1"	1"	3/4"	1/2"	1/2"	1/2"
Torque / Breakaway (Nm)	1,627 / 2,440	2,847 / 3,390	1, 695 / 1,830	1,098 / 1,613	678 / 1,017	773 / 773
RPM (Free Speed)	6,500	4,600	1,050	9,200	8,000	1,050
Weight (Kg)	7.3 Short / 7.7 Long	13.7 Short / 16.6 Long	3.6	1.9	1.5	1.87
Make						



Digital Video Borescopes



Specifications	BK7000	BK5700	BK3100
Imager P/Number	BK7000-17	BK5700-14	N/A
Imager Style	5.5mm Dual View HD, PIP*	5.5mm Dual View	5.5mm Forward View
Screen Size	5" Hi-Res Touchscreen	4.3" Touchscreen	3.5" LCD Screen
Memory	32 GB internal	16 GB SD Card	16 GB Non-Removable SD Card
Battery	Li-Ion / Rechargeable	Li-Ion / Rechargeable	Li-Ion / Rechargeable
Wi-Fi Compatible	Yes	No	No

PIP* = Picture-in-Picture – Simultaneous Front & Side View

Thermal Imagers



EETH312A
Diagnostic
Thermal Imager+

- Use on brakes, heated seats, misfires, HVAC, worn bearings, belts, emission controls and many more
- Reference images show normal & failed components
- Freeze function
- Thermal, sepia and plasma color palettes for flexible viewing options
- Customised Views
- Wi-Fi compatible
- Temp Range** (-20-450°C)
- Size (mm)**: 57 D x 122 W x 231 H
- Colour Screen**: 109mm (4.3")
- Display Type**: TFT Color LCD
- Screen Resolution**, Pixels: 480x272
- Weight**: 376.5g



EETH311
Diagnostic
Thermal Laser

- Thermal image blending with a visible-light camera
- Delta feature, ideal for checking inlet and outlet temp of catalytic converters
- LED light
- Laser pointer
- Laser Mode Temp** (-20-982 °C)
- Temp Range** (-20-538 °C)
- Size (mm)**: 58 D x 73 W x 228 H
- Colour Screen**: 71mm (2.8")
- Screen Resolution**, Pixels: 320x240
- Weight**: 275g

Thermometers

RTEMPB7

- Infrared Thermometer
- Temperature range: -35-365 °C
- Operating range: 0-50 °C
- Batteries: AAA x 2



RTEMP8

- Multi-Laser Infrared Thermometer
- Temperature range: -60-760 °C
- Operating range: 0-50 °C
- Batteries: AAA x 2
- Colour Screen



Booster Cable
BC20500A



Dial Type Pressure Gauge
Bleeder Valve
10-160 Psi
PG160

Lighting



- IR LED COB Flexible Light**
- 400 Lumen, USB Charged
- Multi-position
- Magnetic Base & Back
- Spot light option
- Length: 250mm
- IRL-FLEX-1**



- Neck / Head Light**
- Removeable Light
- 300 Lumen, USB Charged
- ECHDD012AR**



- Rechargeable Head Light**
- 400 Lumen, USB Charged
- Red rear light with blink setting
- Zoom function
- IRL-HEAD-1**

Stethoscopes

605

Blue-Point



YA6920

Electronic Marine
Stethoscope

- Six spring-loaded, color-coded stainless steel sensor clamps



YA6910

Mini Electronic Stethoscope

- Pinpoints location of noise
- 5" inductive metal probe

GA111D

Mechanic's Stethoscope

- Locates any engine sound,
- 300mm probe



ECT900

Multi-Probe

Ultra

Advanced Electrical

System Circuit

Tester

& Multimeter

ALL-IN-ONE

Patented Circuit breaker protected

POWER-UP of components

AC V (200)

AMP (-5-50)

DC V (-5-200)

OHM (0.1-50,000)

Continuity Only

Switch Setting

AC V (Freq, TRMS, DC Percentage, P-P, PW)

589

ECT900

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

589

397



MOD.397SH45L Piston Ring Compression Set 11pc

Part #	Description	Part #	Description
RC980-1	Band 2-7/8" to 3-1/8"	RC980-7	Band 4-1/2 to 4-3/4"
RC980-2	Band 3-1/8" to 3-3/8"	RC980-8	Band 4-3/4 to 5"
RC980-3	Band 3-3/8" to 3-5/8"	RC980-9	Band 5 to 5-1/4"
RC980-4	Band 3-5/8" to 3-7/8"	RC980-10	Band 5-1/2 to 5-3/4"
RC980-5	Band 3-7/8" to 4-1/8"	RC980-11	Pliers
RC980-6	Band 4-1/8" to 4-3/8"		

MOD.397SH45L7

Set in foam excl 4 x Biggest Bands

Ring Compressors

755

RC150A

Four Bands

3-1/2-7" x 175mm

RC40A

Two Bands

2-1/8-5" x 89mm

RC510A

Piston Ring

Groove Cleaner

RCW60

One Band

3-5" x 38mm

YA8230

Valve Stem

Seal Pliers

PRS8

Piston Ring

Expander

589

589

589

589

589

589

589





Master Multi-Purpose Interchangeable Puller Set CJ2000S-WF

Tool Control Board - VE200A

Includes Components of Sets:
MOD.816, 817, 818 & 819

Includes:

Multi-Purpose Puller Set 2 & 3 Leg (CJ2004)
Bolt Grip Puller Set (CJ2001P)
Bar Type Puller Set 6-10 Ton (CJ2002)
Assorted Add-ons (CJ2005) &
Rear Axle Puller (CJ2003A)



With Wall Cabinet CJ2000SB-WF.
Wall Cabinet Only KRA276D

40
puller options

W2

Puller Set Storage Options with Visual Tool Control

Available in 2 Portable Options OR Blue-Point Roll Cabinet



CJ2000-KMC-WF
Mobile Tool Chest - 5 Drw
Fills 1 x 3", 2 x 2" Drawers




CJ2000-HIM-WF
Carry-on Case with Wheels



Samples of
Pullers Built
Incl. in foam
sets illustrated



CJ2000-B2006N-WF
Fills 2 Drawers



Master Interchangeable Puller Set - Capacity 2-12.5 Ton CJ2500S-WO

Full Set

CJ2500SE-WO
Set excluding 300mm Jaws

10 Ton Hydraulic
Pump and
Ram Set
*CJ1052



With Wall Cabinet CJ2500SB-WO
Wall Cabinet Only KRA276D

32
puller options

Components as per Set CJ2500

Light Duty Interchangeable Master Puller Set CJ2400 with Portable Carry Case

2.5 Ton Capacity



W3

Heavy Duty Interchangeable Master Puller Set CJ2500 with Portable Carry Case

12.5 Ton Capacity



Snap-on Individual Pullers		
Part #	Ton	Description
CG240-WO	2.5	2 Jaw, 60mm
CJ240L-WO	2.5	2 Jaw, 90mm
CJ240H-WO	2.5	2 Jaw, 60mm, Slide Hammer
CJ240HL-WO	2.5	2 Jaw, 90mm, Slide Hammer
CJ243-WO	2.5	3 Jaw, 60mm
CJ243L-WO	2.5	3 Jaw, 90mm
CJ243H-WO	2.5	3 Jaw, 60mm, Slide Hammer
CJ243HL-WO	2.5	3 Jaw, 90mm, Slide Hammer

Bearing Separators



CJ949
CJ950
CJ951
CJ952
*CJ953



COMMERCIAL VEHICLE

Truck > Light Commercial > Bus > Trailer

- Optional Modules:
- Info Plus - Expanded technical info
 - (ETM) - Isolated component testing



AGRICULTURAL EQUIPMENT

Harvesters > Tractors



OFF-HIGHWAY

Earth Moving > Stationary
> Special Vehicles



MATERIAL HANDLING

Fork Lifts



MARINE

Outboard & Inboard Motors > Jet Skis
> Stationary Engines for Ships



GROUND SUPPORT

Airport Equipment



Customised Solutions to suit your Diagnostic needs



- Link Interface Kit incl. OBD Cable & Multipin Kit

- Optional Rugged Notebook




- Optional South African Cable Kit

Info Plus Module (CV):

- Expanded technical info
- Smart Guides to fault codes
- Model Wiring Diagram with interactive troubleshooting

Cabel Kits (Optional):

- Module Kits
- Manufacturer / Model Specific



- Specially designed pump allows the pivot arm to go from lowered position to max unloaded in just 4 pumps
- Min Height - 100mm
- Max Height - 520mm

Pad only
SNX34P-31



- 8kg canister
- Pressure Return Valve
- Lock-on Coupler
- Max: 690 Bar
- L 470mm
- W 260mm
- H 420mm



Creeper



Maintenance of Hydraulic ABS & SBC Brake Systems, Clutch & Gear Shift Systems
For Commercial & Light Passenger Vehicles
Optional 12V

*ROM-S30/60-220V



- MOD.741SH42D**
Cooling System Tester Set 7pc
- | Part # | Description |
|-------------|--|
| BP YA4506 | Universal Radiator Adaptor |
| D4 SVTS272A | Cooling System Pressure Tester Kit with 4 x Adaptors |



- Cooling**
- BP GDCT16 Combustion Leak Tester
 - BP GDCT161 Leak Detector Fluid (0.47 Ltr)

Lubrication : Oil & Grease



- BP OFW4KT Oil Filter Wrench Set 4pc
- OFW1 2-3/8 - 2-5/8"
- OFW2 2-7/8 - 3-1/4"
- OFW3 3-1/2 - 3-7/8"
- OFW4 4-1/8 - 4-1/2"



- MOD.934SH42D**
Heavy-Duty End Cap Filter Wrench Set 14pc
- OFC14KT Included in set :
Part #
OFA2
- 13 caps to fit 17 sizes
 - Filter spider wrench 61-124 mm



- B B-BOD4500 Oil Can 500ml Includes Flexible & Rigid Spouts



Truck Wheel Aligners

V6200 (Fixed, Mobile or Portable)

Wheel Alignment for Trucks & Buses - PC Linked

JBV3DV6200-F-WO
Fixed Cabinet Version

JBV3DV6200M-C3T-WO
Mobile Roll Cart Version

JBV3DV6200M-HIM-WO
Portable Case Version



Optional:
HIM250V6200-WO
Case - Foam Insert

JohnBean

KHD-30 (Portable)

Laser Measurement System (No PC Link)

- > Lifting of the vehicle is not necessary - axle in driving condition
- > Easy mounting measuring heads
- > Featured with the new inclinometer for the measurement of camber, castor and KPI
- > 360 turnable laser head with battery
- > Optional Trailer Kit KAL-30



KOCH

Swivel-mounted measuring arms
Easy to use quick measurement of
single toe, camber, castor,
KPI of axles, centre position
of steering gear

- > Fixed - Position (Detachable) or Mobile Scales
- > PC or Laptop Included



Truck & Bus Aircon

EEACEU118C (R134a)

- > Fully Automatic Aircon Station
- > Vacuum or Nitrogen Leak Check
- > Refrigerant Capacity - 40L
- > Additional Gas Pump for Large Capacity Recharge



JohnBean

Truck Tyre Changers	T8027	T8056	T8058
Rim Diameter Max	14"-27"	14"-32"	14"-58"
Optional: Rim Adaptor		14"-56"	
Wheel Diameter Max	1650 mm	2350 mm	2500 mm
Wheel Weight Max	1000Kg	1500 Kg	1500 Kg
Tyre Width Max	800 mm	1100 mm	2500 mm
Bead Breaker Disc Force	31kN	33kN	38kN
Electro-hydraulic Drive	■	■	■
Mobile Control Unit	■	■	■
Power 380V 3PH	■	■	■



Optional Adaptors
ST4024715

T8056-3PH-WO

*T8058B-3PH-WO



JohnBean

B9260-WO



Motorised Truck Wheel Balancer

- > Automatic input of distance and diameter (2D SAPE)
- > Pneumatic wheel lift
- > 5 alloy modes and Spoke
- > Electronic friction brake for braking after measurement
- > Virtual Plane Imaging (VPI)

Rim diameter
8-26 inch
Max. wheel width
650 mm
Max. wheel diameter
1300 mm
Max. wheel weight
250 kg

T8027-3PH-WO



Snap-on Industrial

0861 762 766

industrial@snapon.co.za
www.snapon.co.za



CATS08PVOL12

